

## NOCCHI EVO CENTRIFUGAL MULTISTAGE PUMPS



**BRAND:** NOCCHI **Download Files**

[Nocchi multievo en.pdf](#) Multi EVO horizontal multistage centrifugal electric pump with an axial threaded suction port and a radial threaded discharge port PUMP SPECIFICATION • Hydraulic performance conforms to ISO 9906:2012 - Grade 3B • Type of liquid: clean water with no suspended solids or abrasive material • Maximum liquid temperature 50°C • Maximum operating pressure 8 bar • Maximum recommended suction height 6m with foot valve APPLICATIONS • Pressurization and supply • Irrigation • Re-utilization of rainwater • Cleaning systems Download attached catalogue for pump performance and curve

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [NOCCHI](#)

---

## NOCCHI, DHR, MULTI-CELL CENTRIFUGAL PUMPS



**BRAND:** NOCCHI

**Download Files** [NOCCHI\\_DHR.pdf](#)

• All Rotary Parts in contact with the pumped liquid material: AISI 304 Stainless Steel • Motor Protection Type & Insulation Class: IP54 / F ; Speed: 2,850 rpm

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [NOCCHI](#)

## ORANGE CENTRIFUGAL PUMPS

**BRAND:** ORANGE [New Orange CP Series.pdf](#)

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)



---

## ORANGE PRESSURE SWITCH

**BRAND:** ORANGE [Orange Pressure Switch.pdf](#)

Connection: Female ¼" **Factory Setting:** Cut-in: 20 PSI / 1.4 Bar Cut-out 40 PSI / 2.8 Bar **Pressure Range:** Cut-in: 20 PSI / 1.4 Bar Cut-out 67 PSI / 4.6 Bar

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)



## ORANGE PUMP CHM4-4ES C/W 230V 1HP 750KW 50HZ MOTOR



### Applications Fields

- Air conditioning system
- Filling machinery
- Water supply and pressurisation system
- Cooling system
- Industrial cleaning
- Aquaculture
- Water treatment application
- Support the use of the chiller
- Family water supply

[catalogue chm44ES 1.pdf](#)

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)



## ORANGE STAINLESS STEEL PRESSURE GAUGE

**BRAND:** ORANGE [Orange SS Pressure Gauge.pdf](#)

**ORANGE STAINLESS STEEL PRESSURE GAUGE**

**TECHNICAL SPECS** PRESSURE RANGE: 0 TO 160 PSI

CONNECTION: MALE 1/4" CONNECTION: BOTTOM TYPE

MATERIAL: STAINLESS STEEL

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)

## PPL PRESSCONTROL 1.6 BAR C/W CABLE ( BLUE COLOR ) (PPL)



**BRAND:** PPL

- Rated Voltage: 220V- 240V
- Frequency: 50 Hz Max
- Power: 1.1 kW \*
- Max Current: 10 A
- Starting Pressure: 1.5 Bar Max
- Working Pressure: 10 Bar
- Connection: 1 Inch Threaded
- Protection Rating: IP 65 Max
- Working Temperature: 60 °C

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS, OTHERS](#)

---