

ARCHER 1LB NYLON LINE / TRIMMER LINE (GPQ2412P10)



• 1LB ROLL (0.45KG) • 2.4MM (0.095") SQUARE LINE

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTER LINE](#),
[OUTDOOR AND GARDEN EQUIPMENT](#)

ARCHER 5LBS NYLON LINE / TRIMMER LINE (GSQ24P50)



• 5LB ROLL (2.27KG) • 2.4MM (0.095") SQUARE LINE •
1 BOX X 4 ROLLS • APPROX 130FT/398M

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTER LINE](#),
[OUTDOOR AND GARDEN EQUIPMENT](#)

ARCHER SQUARE LINE 1LBS "DONUT" (GKQ24P10)



Dimension: 2.40mm (0.095")

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTER LINE](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

Brush Cutter Blade (KYOTO 12" GRASS CUTTER BLADE SKS-5 AT0105)



Dimension : 305 X 90 X 1.6mm

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTER BLADE](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

BRUSH CUTTER BLADE-14"

- **Dimension** : 355 X 90 X 190 x mm

[Read More](#)



Categories: [BRUSHCUTTER](#), [BRUSHCUTTER BLADE](#), [OUTDOOR AND GARDEN EQUIPMENT](#)



HONDA BRUSHCUTTER (BG-35HM)

BRAND: HONDA

SPECIFICATIONS • Engine : HONDA GX35T SD • Type : Forced air-cooled, 4-stroke, single cylinder, horizontal shaft • Displacement : 35.8cc / max.output 1.6HP • Bore x stroke : 39 x 30mm • Engine speed : 7000RPM • Starting / Ignition : Recoil starter / Ignition coil • Connect System : Auto centrifugal - clutch • Fuel tank capacity : 0.65Litre • Blade : 305x1.6x25.4mm - 2 Teeth • Shaft Assy : Soft shaft 970mm / 6.7 • Gearcase assy : \varnothing 26-7T • Pack size engine / shaft : 350x310x420mm 1335x100x90mm • Dry Weight : 11.5kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

HONDA BRUSHCUTTER (PP-35HT)



BRAND: HONDA

SPECIFICATIONS • Engine : HONDA GX35T SD • Type : Forced air-cooled, 4-stroke, single cylinder, horizontal shaft • Displacement : 35.8cc / max.output 1.6HP • Bore x stroke : 39 x 30mm • Engine speed : 7000RPM • Starting / Ignition : Recoil starter / Ignition coil • Connect System : Auto centrifugal - clutch • Fuel tank capacity : 0.65Litre • Blade : 305x1.6x25.4mm - 2 Teeth • Shaft Assy : Soft shaft 970mm / 6.7 • Gearcase assy : \varnothing 26-7T • Pack size engine / shaft : 350x310x420mm 1335x100x90mm • Dry Weight : 11.3kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

HONDA BRUSHCUTTER (SS-35H)



BRAND: HONDA

SPECIFICATIONS • Engine : HONDA GX35T SD • Type : Forced air-cooled, 4-stroke, single cylinder, horizontal shaft • Displacement : 35.8cc / max.output 1.6HP • Bore x stroke : 39 x 30mm • Engine speed : 7000RPM • Starting / Ignition : Recoil starter / Ignition coil • Connect System : Auto centrifugal - clutch • Fuel tank capacity : 0.65Litre • Blade : 305x1.6x25.4mm - 2 Teeth • Shaft Assy : 1500mm • Gearcase assy : \varnothing 28-9T • Pack size engine / shaft : 280x255x295mm 1635x165x110mm • Dry Weight : 9.65kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)



KAWASAKI BRUSHCUTTER (BG-45KM)

BRAND: KAWASAKI

SPECIFICATIONS • Type : Forced air-cooled ,2-stroke, single cylinder • Displacement : 45.5cc / Max.output 1.9HP • Bore x stroke : 42.5x32mm • Engine speed : 7500 RPM • Starting/Ignition : Recoil starter / Ignition coil • Connect system : Auto centrifugal- Clutch • Fuel tank capacity : 0.9Litre • Engine : Kawasaki Tj045E • Shaft assy : Soft shaft 970mm/6.7 • Gear assy : \varnothing 26-7T • Size engine / shalf : 350x310x420mm 1335x100x90mm • Dry weight : 12kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)



KAWASAKI BRUSHCUTTER (PP-45KT)

BRAND: KAWASAKI

SPECIFICATIONS • Type : Forced air-cooled ,2-stroke, single cylinder • Displacement : 45.5cc / Max.output 1.9HP • Bore x stroke : 42.5x32mm • Engine speed : 7500 RPM • Starting/Ignition : Recoil starter / Ignition coil • Connect system : Auto centrifugal- Clutch • Fuel tank capacity : 0.9Litre • Engine : Kawasaki Tj045E • Shaft assy : Soft shaft 970mm/6.7 • Gear assy : \varnothing 26-7T • Size engine / shalf : 350x310x420mm 1335x100x90mm • Dry weight : 11.8kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

KAWASAKI BRUSHCUTTER (SS-45K)



BRAND: KAWASAKI

SPECIFICATIONS • Type : Forced air-cooled ,2-stroke,single cylinder • Displacement : 45.5cc / Max.output 1.9HP • Bore x stroke : 42.5x32mm • Engine speed : 7500 RPM • Starting/Ignition : Recoil starter / Ignition coil • Connect system : Auto centrifugal- Clutch • Fuel tank capacity : 0.9Litre • Engine : Kawasaki Tj045E • Shaft assy : 1500mm • Gear assy : \varnothing 28-9T • Size engine / shalf : 280x275x210mm 1635x165x110mm • Dry weight : 10.1kgs

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

KYOTO BRUSHCUTTER (BG-328)



SPECIFICATIONS • **Displacement:** 30.5cc • **Power:** 0.8Kw (1.1HP) at 6000 RPM • **Engine:** Two Stroke, Air -Cooled Gasoline Engine • **Carburetor:** Walbro Float • **Fuel Capacity:** 1.2 Litres • **Fuel To Oil Ratio:** 25: 1 • **Starting:** Recoil Rope • **Dimensions :** 410x300x280 mm • **Net Weight:** 6kg • **Gross Weight:** 6.7 KG [KYOTO BRUSHCUTTER BG328](#)

[14022024](#)

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)