



VAREM 500L VERTICAL PRESSURE TANK 10 BAR (US500462CS0AN000)

Download Files

[CATALOG VAREM MAXIVAREM LC CE 2022.pdf](#)

[Read More](#)

Categories: [PRESSURE TANK](#), [VAREM](#)



ZILMET HYDRO PLUS 150 LITRES (39.6 GALLON) PRESSURE TANK C/W DIAPHRAGM (10 BAR)-BEIGE COLOUR

Download Files [ZILMET hydro plus cat.pdf](#)

[Read More](#)

Categories: [HYDRO-PLUS SERIES](#), [PRESSURE TANK](#),
[ZILMET](#)



ZILMET HYDRO PLUS 35 (9.2 GALLON) LITRES PRESSURE TANK (10 BAR)-BEIGE COLOUR

Download Files [ZILMET_hydro_plus_cat.pdf](#)
[Read More](#)

Categories: [HYDRO-PLUS SERIES](#), [PRESSURE TANK](#),
[ZILMET](#)



ZILMET HYDRO PLUS 80 LITRES (21.1 GALLON) PRESSURE TANK C/W DIAPHAGM (10 BAR)-BEIGE COLOUR

Download Files [ZILMET_hydro_plus_cat.pdf](#)
[Read More](#)

Categories: [HYDRO-PLUS SERIES](#), [PRESSURE TANK](#),
[ZILMET](#)



ZILMET ULTRA-PRO SERIES PRESSURE TANK - VERTICAL MODEL

BRAND: ORANGE

Download Files [Zilmet Ultra-pro-drawing-1.pdf](#) [Zilmet Ultra Pro Catalogue.pdf](#)

[Read More](#)

Categories: [PRESSURE TANK](#), [ULTRA-PRO SERIES](#),
[ZILMET](#)

Zilmet Ultra-Pro Series Pressure Tank - Vertical Model



ZILMET ULTRA-PRO SERIES PRESSURE TANK REPLACEMENT MEMBRANE

BRAND: ZILMET

[Read More](#)

Categories: [PRESSURE TANK](#), [ULTRA-PRO SERIES](#),
[ZILMET](#)



ZILMET ULTRA-PRO SERIES PRESSURE TANK REPLACEMENT MEMBRANE

* Tank pre-charge: 1.9 bar/28 psi, Maximum Working Temperature 90 °C/ 200 °F * Single diaphragm design, Stainless steel connection, Plastic tank feet

[Read More](#)

Global Water Solution, Pressure Wave Series - Vertical With Base Mode

Categories: [GLOBAL WATER SOLUTION](#), [PRESSURE TANK](#)



ZILMET WATER-PRO

Download Files [ZILMET WATER-PRO 2018 SS.pdf](#) *

Operating Temperature: -10 ÷ 99 °C * Butyl fixed membrane; Carbon steel shell; Stainless steel connection

[Read More](#)

Categories: [PRESSURE TANK](#), [WATER-PRO](#), [ZILMET](#)