



KNAPSACK POWER MIST-DUSTER

[Read More](#)

Categories: [MIST DUSTER](#), [OUTDOOR AND GARDEN EQUIPMENT](#)



KYOTO BRUSHCUTTER (BG-328)

SPECIFICATIONS • **Displacement:** 30.5cc • **Power:** 0.8Kw (1.1HP) at 6000 RPM • **Engine:** Two Stroke, Air -Cooled Gasoline Engine • **Carburetor:** Walbro Float • **Fuel Capacity:** 1.2 Litres • **Fuel To Oil Ratio:** 25: 1 • **Starting:** Recoil Rope • **Dimensions :** 410x300x280 mm • **Net Weight:** 6kg • **Gross Weight:** 6.7 KG [KYOTO BRUSHCUTTER BG328 14022024](#)

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTERS](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

Kyoto Leaf Blower EB260



Model: Kyoto EB260 **Engine Type:** 2-Stroke **Power:** 750W (1HP) **Displacement (cc):** 26 **Carburetor:** Diaphragm **Mixed Fuel Ratio:** Gasoline/Oil (25:1) **Ignition:** CDI **Spark Plug:** L9T(LD)/BM6A **Fuel Tank Capacity:** 600ml **Weight (kg):** 4.5 kg **Packing Measurement (mm):** 390X230X360 [EB260 KYOTO LEAF BLOWER MODEL.pdf](#)

[Read More](#)

Categories: [LEAF BLOWER](#), [OUTDOOR AND GARDEN EQUIPMENT](#)

La Sta-Rite P-STR Pool Pump



BRAND: LA STA-RITE

Download Files [LA_STARITE.pdf](#)

[Read More](#)

Categories: [OTHERS](#), [SWIMMING POOL PRODUCTS](#), [SWIMMING POOL PUMP](#)



MASPORT 500 SERIES

BRAND: MASPORT

SPECIFICATIONS : • Teal green powder coated strong steel chassis • Easy recoil pull start • Durable split steel rear roller

[Read More](#)

Categories: [LAWN MOVERS](#), [MASPORT](#), [MASPORT 500 SERIES](#)

Masport Maxicatch 450E

BRAND: MASPORT

[Masport Maxicatch-RED Engine.pdf](#)

[Read More](#)

Categories: [LAWN MOVERS](#), [MASPORT](#), [MASPORT MAXICATCH 450](#)





NOCCHI EVO CENTRIFUGAL MULTISTAGE PUMPS

BRAND: NOCCHI **Download Files**

[Nocchi multievo en.pdf](#) Multi EVO horizontal multistage centrifugal electric pump with an axial threaded suction port and a radial threaded discharge port PUMP SPECIFICATION • Hydraulic performance conforms to ISO 9906:2012 - Grade 3B • Type of liquid: clean water with no suspended solids or abrasive material • Maximum liquid temperature 50°C • Maximum operating pressure 8 bar • Maximum recommended suction height 6m with foot valve APPLICATIONS • Pressurization and supply • Irrigation • Re-utilization of rainwater • Cleaning systems Download attached catalogue for pump performance and curve

[Read More](#)

Categories: [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [NOCCHI](#)



NOCCHI VIP VORT

BRAND: NOCCHI VIP VORT **Download Files**

[Nocchi VIP Vort.pdf](#) Voltage: 230V - Single Phase, 50Hz Pump Body: Polypropylene Impeller: Plastic Noryl Minimum Draining Level: 30mm Max. Size of Impurities: 25mm Pump outlet: 1 1/4"

[Read More](#)

Categories: [NOCCHI PUMP](#), [SUBMERSIBLE PUMPS](#)



NOCCHI, DHR, MULTI-CELL CENTRIFUGAL PUMPS

BRAND: NOCCHI

Download Files [NOCCHI DHR.pdf](#)

- All Rotary Parts in contact with the pumped liquied material: AISI 304 Stainless Steel
- Motor Protection Type & Insulation Class: IP54 / F ; Speed: 2,850 rpm

[Read More](#)

Categories: [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [NOCCHI](#)



NYLON TRIMMER LINE FALCON BRUSHCUTTER LINE 5KG PER BUNDLE (GBQ24K50)

One of the good reason for you to opt for a square trimmer line. These edges facilitate cleaner and faster cutting, especial as a clean cut minimizes the grass' susceptibility to infection. A square line is also ideal for whacking excessively thick vegetation. You'll clear such areas much faster with square trimmer line. Description of trimmer line: • 5kg Bundle Square line (Eco Trim) for grass cutting • Thickness: .095"/2.40mm • Colour: Green

[Read More](#)

Categories: [BRUSHCUTTER](#), [BRUSHCUTTER BLADE](#), [OUTDOOR AND GARDEN EQUIPMENT](#)



Onga BlazeMaster Fire Fighting Pump

ONGA BLAZEMASTER FIRE FIGHTING PUMP

BRAND: ONGA **Download Files**

[Onga Blazemaster Catalogue.pdf](#)

[Onga Blazemaster Honda Petrol Engine.pdf](#)

[Onga Blazemaster B&S Engine Petrol.pdf](#)

[Onga Blazemaster Yanmar Engine Diesel.pdf](#) **Engine**

Model: Petrol Engine • B65H Honda GX 200 (6.5 Hp) • B90H Honda GX 270 (9.0 Hp) • B65BS B&S (6.0 Hp) • B80BS B&S (8.0 Hp) • B10BS B&S (10.0 Hp)

Diesel Engine • B70Y Yanmar L70AE (7 Hp) • B10YE Yanmar L100AE (10 Hp) * **Please refer to**

downloads for pump curve and performance*

*Pump Casing: Powder Coated Aluminum *Impeller:

30% Glass Filled Nylon *Diffuser: Aluminum *O-ring:

Nitrile *Mechanical Seal: Carbon / Cerami

[Read More](#)

Categories: [FIRE FIGHTING PUMPS](#), [ONGA](#)



BRAND: ONGA

Download Files [ONGA LTP.pdf](#)

[Read More](#)

Categories: [ONGA](#), [SWIMMING POOL PRODUCTS](#),
[SWIMMING POOL PUMP](#)
