

## ONGA, PANTERA POOL (2")

**BRAND:** ONGA

**Download Files** [Onga\\_PPP\\_PUMP.pdf](#)

[Read More](#)

**Categories:** [ONGA](#), [SWIMMING POOL PUMP](#)



---

## ONGA, SILENTFLO (2")

**BRAND:** ONGA

**Download Files** [Onga - SilentFlo.pdf](#)

[Read More](#)

**Categories:** [ONGA](#), [SWIMMING POOL PUMP](#)



## ORANGE CENTRIFUGAL PUMPS



**BRAND:** ORANGE [New Orange CP Series.pdf](#)

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)

---

## ORANGE FIRE FIGHTING PUMP



**BRAND:** ORANGE [Download Files](#)

[Orange Fire Fighting Pump with Yanmar Engine.jpg](#)

[Orange UP 700-Subaru Petrol Engine.pdf](#) **Orange**

**Fire Fighting Pump (UP700) Pump Features:** -

Twin Impeller pressure from single impeller - High volumes at high pressure - Dual threads suction & discharge - Built in checkvalve - Poly powder coat finish **Impeller Features:** - Torque tuned impeller for high speed - Machined and balanced - One piece cast aluminium - Impeller neck ring seal - Wide vane for large solids handling \* **Bare pump only (no engine).**

**However, engine can be sources according to requirements \* \* Engine shaft: 19mm threaded horizontal shaft \***

[Read More](#)

**Categories:** [FIRE FIGHTING PUMPS](#), [ORANGE](#)

---

## ORANGE PRESSURE SWITCH



**BRAND:** ORANGE [Orange Pressure Switch.pdf](#)

Connection: Female 1/4" **Factory Setting:** Cut-in: 20 PSI / 1.4 Bar Cut-out 40 PSI / 2.8 Bar **Pressure Range:** Cut-in: 20 PSI / 1.4 Bar Cut-out 67 PSI / 4.6 Bar

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)

---

## ORANGE PUMP CHM4-4ES C/W 230V 1HP 750KW 50HZ MOTOR



**Applications Fields** • Air conditioning system • Filling machinery • Water supply and pressurisation system • Cooling system • Industrial cleaning • Aquaculture • Water treatment application • Support use of chiller • Family water supply [catalogue](#)

[chm44ES 1.pdf](#)

[Read More](#)

**Categories:** [CENTRIFUGAL HORIZONTAL BOOSTER PUMPS](#), [ORANGE](#)



## ORANGE SF50 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**1440 RPM 4 Pole Motor for Continuous Use •**

Submersible Sump Pump 230 Volt 80 watts. • Maximum head 2.3 metres • Maximum flow 38 litre per minute. • 140mm wide 220mm high weight 3kg • Triple seals-Oil bath chamber. • Anti-Clog Vortex impeller • 3M electrical lead • Manual operated • 1440rpm slow speed • Ultra-quiet operation •

Discharge port: 12mm • Can handle solids up to 3mm

**Applications:** - Storm water draining, cellars, sumps, water feature or rain harvesting. - Grey water, sullage, hair or silt in 90% water. - Water feature or treatment system **Fountain pump/installation** • Water to be pumped cannot exceed 45°C • Standing water level must not exceed 3m above pump

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)



Model SP100

## ORANGE SP100 / SP140 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**Download Files** [Orange-Sump-Pumps-2012.pdf](#) •

230VAC with automatic float switch and 6 meters of electrical cord • 3 seals and oil bath seal protection • All metal construction • Thermal overload protection

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)



Model SP213

## ORANGE SP200 / SP213 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**Download Files** [Orange-Sump-Pumps-2012.pdf](#) •

230VAC with automatic float switch and 6 meters of electrical cord • 3 seals and oil bath seal protection • All metal construction • Thermal overload protection

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)

---



## ORANGE SP500 / SP600 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**Download Files** [Orange-Sump-Pumps-2012.pdf](#) •

230VAC with automatic float switch and 6 meters of electrical cord • 3 seals and oil bath seal protection • All metal construction • Thermal overload protection

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)

---



## ORANGE SP617 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**Download Files** [Orange-Sump-Pumps-2012.pdf](#)

- 230VAC with automatic float switch and 6 meters of electrical cord
- 3 seals and oil bath seal protection
- All metal construction
- Thermal overload protection

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)

---



## ORANGE SP630 SUBMERSIBLE PUMP

**BRAND:** ORANGE SP PUMP

**Download Files** [Orange-Sump-Pumps-2012.pdf](#)

- 230VAC with automatic float switch and 6 meters of electrical cord
- 3 seals and oil bath seal protection
- All metal construction
- Thermal overload protection

[Read More](#)

**Categories:** [ORANGE SP PUMP](#), [SUBMERSIBLE PUMPS](#)

---